



120 Valley Court
Oak Ridge, TN 37830
Ph: 865-482-5717
FAX: 865-482-1281
zypcoatings.com

ColorMark
Red, Yellow, Blue

Inorganic Permanent-Colored Coatings for All Substrates

ColorMark provides economical water-based, totally inorganic, near-neutral pH coatings useful for all substrates to 1200 C with thermal cycling.



Specifications

Active Ingredients	Red, Yellow, or Blue ceramic pigment
Max Use Temperature	1200 C (2192 F)
Use Atmosphere	All
Fired Composition	Proprietary; >60% ceramic pigment
Liquid Carrier	Water
Binder Phase	Al ₂ O ₃
Specific Gravity	1.1-1.3
Color	Red, Yellow, Blue
Brookfield Viscosity (cps)	3500-4500 @4//60
Shelf Life (months)	>12
Coverage (ft ² /gal)	100-400
Coating pH	Near 8
H F R Ratings	1-0-0
Substrate Use	All

Other: Thermochromic- colors will darken/change when heated versus room temperature.

Sizes and colors

Colors: Red, Yellow, and Blue
Standard Sizes: 1 gallon, 3 Color Kit with a quart of each color

Safety Information

- Consult SDS before use.
- Avoid breathing of spray/vapors.
- For industrial use only.

Key Attributes

- Adherent, tough coatings through cycling
- Minimal outgassing
- High-temperature stable to 1200 C
- Easily applied, like house paint
- Water-based - cleanup with water

Ideal Use

- Coating surfaces for distinctive color
- Marking, labeling, identification of parts
- Permanent color coding

Use Notes

1. Resuspend if necessary.
2. Clean surfaces of oil, dirt, scale etc.
3. Apply a single layer.
4. Allow to thoroughly dry. Apply additional coats if desired, drying between each.

CAUTION: DO NOT CONTACT WET COATINGS WITH MOLTEN METAL.

ZYP Coatings, Inc. (ZYP) makes no warranties, express or implied, including the warranty of merchantability or fitness for a particular service. Product is for industrial/commercial use only. Users should determine suitability for their use. In no event will ZYP be liable for any direct, indirect, incidental, special or consequential damages or losses including, but not limited to loss of profits, in any way related to this product regardless of the legal theory asserted.